

MILLWATER - ARRAN HILL STAGE 5

ASBUILTS DRAWINGS

December 2019

DISCLAIMER:

THE INFORMATION PORTRAYED ON THIS PLAN IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF 224C APPLICATION TO COUNCIL. WFH PROPERTIES LTD AND WOOD AND PARTNERS CONSULTANTS ACCEPT NO RESPONSIBILITY FOR ANY BUILDING DESIGN OR CONSTRUCTION WORK BASED ON THIS DRAWING FILE.




WFH



MILLWATER - ARRAN HILL STAGE 5

CONTENT INDEX AND LOCALITY PLAN

SHEET	NO.	SHEET TITLE
37505-05-	000	Plans Index and Location Plan
37505-05-	100	Final Contour Asbuilt Plan
37505-05-	110-112	Cut & Fill Asbuilt Original to Final Surface
37505-05-	120	Shear Key, Undercuts & Subsoil Drains Asbuilt Plan
37505-05-	123-124	Deadman
37505-05-	140	Slope Stabilisation Plan
37505-05-	200-203	Roading Asbuilt Plans
37505-05-	300-306	Stormwater Asbuilt Plans
37505-05-	400-406	Sanitary Sewer Asbuilt Plans
37505-05-	600-602	Watermain Asbuilt Plans












DISCLAIMER:







RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	12/12/19


SURVEYED	WOODS	WOODS Ltd	1
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	
DRAWN	SK	AUCKLAND 1023	
CHECKED	AC	09 308 9229	
APPROVED	MB	WOODS.CO.NZ	



FINAL CONTOUR ASBUILT PLAN SHEET 1 OF 1


			٠,
STATUS	AS-BUILT	REV	3750
SCALE	1:1000 @ A3	1	K.
COUNCIL	AUCKLAND COUNCIL] '	Ment No
DWG NO	37505-05-100-AB		Docume

Document No. K/37505 - ARRAN HILL PRECINCT 5 STAG









RE'	VISION DETAILS	BY	DATE]
1	ISSUED FOR INFORMATION	KR	12/12/19	
				ĺ


SURVEYED	WOODS	WOODS Ltd	
DESIGNED	T&T	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	:
DRAWN	SK	AUCKLAND 1023	
CHECKED	AC	09 308 9229	
APPROVED	MB	WOODS CO NZ	1



CUT & FILL AS-BUILT ORIGINAL TO LOWEST SURFACE


			Ŀ
STATUS	AS-BUILT	REV	K:\37505
SCALE	1:1000 @ A3	1	No. K
COUNCIL	AUCKLAND COUNCIL		
DWG NO	37505-05-110-AB		Document

E SEV TO SOME HILL PRECING









F	EVISION DETAILS	BY	DATE]
1	ISSUED FOR INFORMATION	KR	12/12/19	
				1


			. –
SURVEYED	WOODS	WOODS Ltd	CONTO
DESIGNED	T&T	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	
DRAWN	SK	AUCKLAND 1023	CUT FILL
CHECKED	AC	09 308 9229	. S
APPROVED	MB	WOODS.CO.NZ	. P5



CUT & FILL AS-BUILT LOWEST TO FINAL SURFACE


			. 5
STATUS	AS-BUILT	REV	K:\3750
SCALE	1:1000 @ A3	1	No. K
COUNCIL	AUCKLAND COUNCIL		
DWG NO	37505-05-111-AB		Document

2 Same ARPAN HILL PRECINCT 5 STAGE SVPROJECT









I	RE'	REVISION DETAILS		DATE	
	1	ISSUED FOR INFORMATION	KR	12/12/19	
					ي
					S.DWG


SURVEYED	WOODS	WOODS Ltd	Ę
DESIGNED	T&T	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	8
DRAWN	SK	AUCKLAND 1023	CUTFILL
CHECKED	AC	09 308 9229	50
APPROVED	MB	WOODS.CO.NZ	P5



CUT & FILL AS-BUILT ORIGINAL TO FINAL SURFACE

STATUS	AS-BUILT	REV	3750
SCALE	1:1000 @ A3	1	No. K:\3
COUNCIL	AUCKLAND COUNCIL	l I	_
DWG NO	37505-05-112-AB		Document

Document No. K/37505 - ARRAN HIL PRECINCT S STAGE S/PROJECT DATA/DRAWINGS/





CONTOURS ARE AT 0.5 METRE INTERVALS
 SUBSOIL DATA SUPPLIED BY CONTRACTOR



RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	04/12/19


SURVEYED	WOODS	WOODS Ltd	030
DESIGNED	T&T	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	100
DRAWN	SK	AUCKLAND 1023	1
CHECKED	AC	09 308 9229	20
APPROVED	MB	WOODS.CO.NZ	1 8



ARRAN HILL PRECINCT 5 STAGE 5

SHEAR KEY, UNDERCUT AND SUBSOIL DRAIN ASBUILT SHEET 1 OF 1

STATUS	AS-BUILT	REV	3750
SCALE	1:1000 @ A3	1	×
COUNCIL	AUCKLAND COUNCIL	'	aut N
DWG NO	37505-05-120-AB		Docume







- DEADMAN LOCATION PROVIDED BY CONTRACTOR.
 LOT OWNER TO LOCATE AND PROTECT DEADMAN
 POSITION PRIOR TO ANY WORKS.
- 2. THE DIMENSIONS PROVIDED ARE A BEST FIT

 APPROXIMATION BASED ON LOCATIONS PROVIDED
- BY THE CONTRACTOR.
 3. TITLE DIMENSIONS ARE SOURCED FROM DP 534851
 SEE CRF FOR CONFIRMATION OF DIMENSIONS.

DISCLAIMER: THIS DRAWING IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF THE CLIENT. WOODS ACCEPT NO RESPONSIBILITY FOR ANY SUBSEQUENT WORKS CARRIED OUT IN THIS AREA.

REVISION DETAILS			DATE
1 ISSUED FOR INFORMATION		KR	05/12/19


DE:	RVEYED (SIGNED AWN ECKED	ONTRACTOR T&T SK AC	WOODS Ltd LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON AUCKLAND 1023 09 308 9229	5 DEADMAN DWG
-	PROVED	MB	WOODS.CO.NZ	P5 0'




ARRAN HILL PRECINCT 5 STAGE 5

DEADMAN COVENENT DIAGRAM SHEET 1 OF 2

			10
STATUS	AS-BUILT	REV	K:\37505
SCALE	1:750 @ A3	1	No. K:
COUNCIL	AUCKLAND COUNCIL] !	n N
DWG NO	37505-05-123-AB		Docume







- DEADMAN LOCATION PROVIDED BY CONTRACTOR.
 LOT OWNER TO LOCATE AND PROTECT DEADMAN
 POSITION PRIOR TO ANY WORKS.
- THE DIMENSIONS PROVIDED ARE A BEST FIT
 APPROXIMATION BASED ON LOCATIONS PROVIDED
- BY THE CONTRACTOR.
 TITLE DIMENSIONS ARE SOURCED FROM DP 534851
 SEE CRF FOR CONFIRMATION OF DIMENSIONS.

DISCLAIMER: THIS DRAWING IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF THE CLIENT. WOODS ACCEPT NO RESPONSIBILITY FOR ANY SUBSEQUENT WORKS CARRIED OUT IN THIS AREA.

RE'	VISION DETAILS	BY	DATE
1 ISSUED FOR INFORMATION		KR	05/12/19

SURVEYED	ONTRACTOR	WOODS Ltd
DESIGNED	T&T	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON
DRAWN	SK	AUCKLAND 1023
CHECKED	AC	09 308 9229
APPROVED	MB	WOODS.CO.NZ




ARRAN HILL PRECINCT 5 STAGE 5

DEADMAN COVENENT DIAGRAM SHEET 2 OF 2

STATUS	AS-BUILT	REV	K:\37505
SCALE	1:500 @ A3	1	
COUNCIL	AUCKLAND COUNCIL] !	ent No.
DWG NO	37505-05-124-AB		Docume







- DEADMAN LOCATION PROVIDED BY CONTRACTOR. LOT OWNER TO LOCATE AND PROTECT DEADMAN
 POSITION PRIOR TO ANY WORKS.
- THE DIMENSIONS PROVIDED ARE A BEST FIT APPROXIMATION BASED ON LOCATIONS PROVIDED BY THE CONTRACTOR.

DISCLAIMER: THIS DRAWING IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF THE CLIENT. WOODS ACCEPT NO RESPONSIBILITY FOR ANY SUBSEQUENT WORKS CARRIED OUT IN THIS AREA.

	REVISION DETAILS			DATE
	1 ISSUED FOR INFORMATION 2 FENCES ADDED		KR	05/12/19
			SK	12/12/19


SURVEYED DESIGNED	CONTRACTOR T&T	WOODS Ltd LEVEL 1 BUILDING B,	ביאאט
DRAWN	SK	8 NUGENT STREET, GRAFTON AUCKLAND 1023	E CLOPE
CHECKED	AC	09 308 9229	50
APPROVED	MB	WOODS.CO.NZ	ä



ARRAN HILL PRECINCT 5 STAGE 5

REINFORCED EARTH BATTER, **SLOPE STABILISATION &** RETAINING WALL PLAN

STATUS	ASBUILT	REV	K:\37505
SCALE	1:1000 @ A3	2	No. K
COUNCIL	AUCKLAND COUNCIL	2	
DWG NO	37505-05-140-AB		Document





- . ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION ISSUE NOV 2005.
- 2. ALL ROADS HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH APPROVED ENGINEERING
- 3. ALL FINISHED ROAD SURFACES ARE ASHPHALT CONCRETE 30mm THICK.
- 4. ALL FOOTPATHS ARE 100mm THICK BRUSHED
 CONCRETE OR EXPOSED AGGREGATE AS NOTED
- 5. ALL PIPE CROSSINGS UNDER ROADS HAVE BEEN HARDFILL BACKFILLED.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY DATA AND CONTRACTOR RECEIVED DATA.

DISCLAIMER:

THE INFORMATION PORTRAYED ON THIS PLAN IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF 224C APPLICATION TO COUNCIL. WFH AND WOOD AND PARTNERS CONSULTANTS ACCEPT NO RESPONSIBILITY FOR ANY BUILDING DESIGN OR CONSTRUCTION WORK BASED ON THIS DRAWING FILE.

RE'	VISION DETAILS	BY	DATE]
1 ISSUED FOR INFORMATION		KR	12/12/19	1
				1
				1
				1

SURVEYED	WOODS	WOODS Ltd	PLANS
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	
DRAWN	SK	AUCKLAND 1023	SOADING
CHECKED	AC	09 308 9229	05 R(
APPROVED	MR	WOODS CO NZ	72




ARRAN HILL PRECINCT 5 STAGE 5

ROADING AS-BUILT OVERALL LAYOUT SHEET 1 OF 4

STATUS	AS-BUILT	REV	K:\3750
SCALE	1:1000 @ A3	1	Š. K
COUNCIL	AUCKLAND COUNCIL		ż
DWG NO	37505-05-200-AB		Docume

nent No. K\37505 - ARRAN HILL PRECINCT 5 STAGE 5\PROJECT DATA\DI





- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION ISSUE NOV 2005.
- 2. ALL ROADS HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH APPROVED ENGINEERING
- 3. ALL FINISHED ROAD SURFACES ARE ASHPHALT CONCRETE 30mm THICK.
- 4. ALL FOOTPATHS ARE 100mm THICK BRUSHED CONCRETE OR EXPOSED AGGREGATE AS NOTED.
- 5. ALL PIPE CROSSINGS UNDER ROADS HAVE BEEN HARDFILL BACKFILLED.
- 5. ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY DATA AND CONTRACTOR RECEIVED DATA.

DISCLAIMER:

THE INFORMATION PORTRAYED ON THIS PLAN IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF 224C APPLICATION TO COUNCIL. WFH AND WOOD AND PARTNERS CONSULTANTS ACCEPT NO RESPONSIBILITY FOR ANY BUILDING DESIGN OR CONSTRUCTION WORK BASED ON THIS DRAWING FILE.

RE'	VISION DETAILS	BY	DATE]
1 ISSUED FOR INFORMATION		KR	12/12/19	
				1
				1


SURVEYED	WOODS	WOODS Ltd	PLANS
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	NG P
DRAWN	SK	AUCKLAND 1023	JADI
CHECKED	AC	09 308 9229	05 R(
APPROVED	MB	WOODS.CO.NZ	55



ARRAN HILL PRECINCT 5 STAGE 5

ROADING AS-BUILT SHEET 2 OF 4

STATUS	AS-BUILT	REV	3750
SCALE	1:500 @ A3	1	
COUNCIL	AUCKLAND COUNCIL	Į.	z
DWG NO	37505-05-201-AB		Docume





- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION ISSUE NOV 2005.
- 2. ALL ROADS HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH APPROVED ENGINEERING
- . ALL FINISHED ROAD SURFACES ARE ASHPHALT CONCRETE 30mm THICK.
- 4. ALL FOOTPATHS ARE 100mm THICK BRUSHED CONCRETE OR EXPOSED AGGREGATE AS NOTED.
- 5. ALL PIPE CROSSINGS UNDER ROADS HAVE BEEN HARDFILL BACKFILLED.
- 5. ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY DATA AND CONTRACTOR RECEIVED DATA.

DISCLAIMER.

THE INFORMATION PORTRAYED ON THIS PLAN IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF 224C APPLICATION TO COUNCIL. WFH AND WOOD AND PARTNERS CONSULTANTS ACCEPT NO RESPONSIBILITY FOR ANY BUILDING DESIGN OR CONSTRUCTION WORK BASED ON THIS DRAWING FILE.

	REVISION DETAILS 1 ISSUED FOR INFORMATION			DATE
				12/12/19

SURVEYED	WOODS	WOODS Ltd	PLANS
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	
DRAWN	SK	AUCKLAND 1023	ROADING
CHECKED	AC	09 308 9229	05 R(
APPROVED	MB	WOODS.CO.NZ	P5




ARRAN HILL PRECINCT 5 STAGE 5

ROADING AS-BUILT SHEET 3 OF 4

			Ġ
STATUS	AS-BUILT	REV	K:\37505
SCALE	1:500 @ A3	1	No. K
COUNCIL	AUCKLAND COUNCIL	Ī	z tu
DWG NO	37505-05-202-AB		Document

Document No. K337505 - ARRAN HILL PRECINCT 5 STAGE SYPROJ





- . ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION ISSUE NOV 2005.
- ALL ROADS HAVE BEEN CONSTRUCTED IN ACCORDANCE WITH APPROVED ENGINEERING
- . ALL FINISHED ROAD SURFACES ARE ASHPHALT CONCRETE 30mm THICK.
- ALL FOOTPATHS ARE 100mm THICK BRUSHED CONCRETE OR EXPOSED AGGREGATE AS NOTED
- 5. ALL PIPE CROSSINGS UNDER ROADS HAVE BEEN HARDFILL BACKFILLED.
- 5. ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY DATA AND CONTRACTOR RECEIVED DATA.

DISCLAIMER:

THE INFORMATION PORTRAYED ON THIS PLAN IS INTENDED TO BE SOLELY USED AS THE BASE DATA FOR THE PURPOSES OF 224C APPLICATION TO COUNCIL. WFH AND WOOD AND PARTNERS CONSULTANTS ACCEPT NO RESPONSIBILITY FOR ANY BUILDING DESIGN OR CONSTRUCTION WORK BASED ON THIS DRAWING FILE.

ı					
	REVISION DETAILS			DATE	
	1 ISSUED FOR INFORMATION		KR	12/12/19	1
					1
					١


SURVEYED	WOODS	WOODS Ltd	NAIC
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	. –
DRAWN	SK	AUCKLAND 1023	SOADING
CHECKED	AC	09 308 9229	70
APPROVED	MB	WOODS.CO.NZ	ı,



ARRAN HILL PRECINCT 5 STAGE 5

ROADING AS-BUILT SHEET 4 OF 4

			. Lo
STATUS	AS-BUILT	REV	37505
SCALE	1:500 @ A3	1	√6. K:\
COUNCIL	AUCKLAND COUNCIL		ž ž
DWG NO	37505-05-203-AB		Docume





LEGEND

STORMWATER MANHOLE

STORMWATER CESSPIT

STORMWATER DOUBLE CESSPIT

NEW STORMWATER

STORMWATER

STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- 2. ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- . ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RAI. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- ALL PRIVATE DRAINAGE CONNECTIONS ARE 100mmø.
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
 ASRUJUT DATA HAS REEN SOURCED FROM A
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

RE'	VISION DETAILS	BY	DATE	
1	ISSUED FOR INFORMATION	KR	29/11/19	
				١,

SURVEYED	WOODS	WOODS Ltd	ER.C
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	RMWAT
DRAWN	SK	AUCKLAND 1023	ORV
CHECKED	AC	09 308 9229	DS_S1
APPROVED	MB	WOODS CO N7	25




ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT OVERALL LAYOUT SHEET 1 OF 7

			. 10
STATUS	AS-BUILT	REV	3750
SCALE	1:2000 @ A3	1	Vo. K3
COUNCIL	AUCKLAND COUNCIL	'	ž
DWG NO	37505-05-300-AB		Docume

Ent No. K:\37505 - ARRAN HILL PRECINCT 5 STAGE 5\PROJECT D





EGGEND STORMWATER MANHOLE STORMWATER CESSPIT STORMWATER DOUBLE CESSPIT NEW STORMWATER STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION
- . ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RRJ. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- ALL PRIVATE DRAINAGE CONNECTIONS ARE 100mmø.
- 7. LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY
 8. ASRIJIT DATA HAS REEN SOURCED FROM A
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19

SURVEYED	WOODS	WOODS Ltd	ERG
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	RMWAT
DRAWN	SK	AUCKLAND 1023	ORN
CHECKED	AC	09 308 9229	D5_S1
APPROVED	MB	WOODS CO N7	75,




ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 2 OF 7

STATUS	AS-BUILT	REV
SCALE	1:500 @ A3	1
COUNCIL	AUCKLAND COUNCIL	
DWG NO	37505-05-301-AB	

IT NO. K/3/7505 - ARRAN HILL PRECINCT 5 STAGE S/PROJECT DATA/DRA





STORMWATER MANHOLE
STORMWATER CESSPIT
STORMWATER DOUBLE CESSPIT
NEW STORMWATER
STISTING STORMWATER
STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- . ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RRJ. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- ALL PRIVATE DRAINAGE CONNECTIONS ARE 100mmø.
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY
 ASBUILT DATA HAS BEEN SOURCED FROM A
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

	RE	VISION DETAILS	BY	DATE	
	1	1 ISSUED FOR INFORMATION		29/11/19	
					ا .


SURVEYED	WOODS	WOODS Ltd	6
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	1
DRAWN	SK	AUCKLAND 1023	2
CHECKED	AC	09 308 9229	100
APPROVED	MB	WOODS CO N7	1 5



ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 3 OF 7

STATUS	AS-BUILT	REV	C/37505
SCALE	1:500 @ A3	1	No. K:
COUNCIL	AUCKLAND COUNCIL	1	ž
DWG NO	37505-05-302-AB		Docume





EGGEND STORMWATER MANHOLE STORMWATER CESSPIT STORMWATER DOUBLE CESSPIT NEW STORMWATER EXISTING STORMWATER STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- . ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- 3. ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (Z) RRJ. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- . ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE
- ALL PRIVATE DRAINAGE CONNECTIONS ARE 100mmø.
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY
 ASBUILT DATA HAS BEEN SOURCED FROM A
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

F	RE۱	/ISION DETAILS	BY	DATE
1		ISSUED FOR INFORMATION	KR	29/11/19

SURVEYED	WOODS	WOODS Ltd	
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	
DRAWN	SK	AUCKLAND 1023	i
CHECKED	AC	09 308 9229	
APPROVED	MB	WOODS.CO.NZ	1




ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 4 OF 7

			, ,
STATUS	AS-BUILT	REV	C:\3750
SCALE	1:500 @ A3	1	I
COUNCIL	AUCKLAND COUNCIL	' '	ent No.
DWG NO	37505-05-303-AB		Document

2 STAGES - ARRAIN HILL PRECINCT 5 STAGE SYPROJECT DATA;DRAWINGS;SUF





EGEND

STORMWATER MANHOLE

STORMWATER CESSPIT

STORMWATER DOUBLE CESSPIT

NEW STORMWATER

STORMWATER

STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- 2. ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RRI, ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- ALL PRIVATE DRAINAGE CONNECTIONS ARE 100mmø.
- 7. LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19

SURVEYED	WOODS	WOODS Ltd	1
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	1
DRAWN	SK	AUCKLAND 1023	2
CHECKED	AC	09 308 9229	100
APPROVED	MB	WOODS.CO.NZ	1




ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 5 OF 7

			- 10
STATUS	AS-BUILT	REV	37505
SCALE	1:500 @ A3	1	Vo. K
COUNCIL	AUCKLAND COUNCIL	'	ž
DWG NO	37505-05-303-AB		Docume

Document No. K:37505 - ARRAN HILL PRECINCT 5 STAGE 5/PROJE





STORMWATER MANHOLE

STORMWATER CESSPIT

STORMWATER DOUBLE CESSPIT

NEW STORMWATER

STAGE BOUNDARY

NOTES

LEGEND

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- 2. ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RRJ. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- . ALL PRIVATE DRAINAGE CONNECTIONS ARE
- 7. LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- ASBUILT DATA HAS BEEN SOURCED FROM A
 COMBINATION OF WOODS SURVEY MEASURED
 DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

REVISION DETAILS			DATE
1	ISSUED FOR INFORMATION	KR	29/11/19


		SURVEYED	WOODS	WOODS Ltd	FR
	DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON		
	DRAWN	SK	AUCKLAND 1023	STORMWAT	
		CHECKED	AC	09 308 9229	DS ST
		APPROVED	MB	WOODS.CO.NZ	P5.



ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 6 OF 7

STATUS	AS-BUILT	REV	C/37505
SCALE	1:500 @ A3	1	No. K:\
COUNCIL	AUCKLAND COUNCIL	1	ž Ha
DWG NO	37505-05-303-AB		Docum





Ē

日日

LEGEND STORMWATER MANHOLE

TORNIWATER WANT

STORMWATER CESSPIT
STORMWATER DOUBLE CESSPIT

NEW STORMWATER

FXISTING STORMWATER

STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AC STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- 2. ALL PIPE BEDDING COMPLIES WITH AC STANDARDS
- ALL CESSPIT LEADS AND PIPES UNDER THE ROAD AND CARRIDGEWAYS ARE REINFORCED COACRETE PIPES CLASS 4 (2) RRJ. ALL OTHER PIPELINES ARE REINFORCED COACRETE CLASS 2 (X) RRJ UNLESS OTHERWISE NOTED.
- 4. ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- ALL SW 100mm DIA. RAMPED RISERS HAVE BEEN EXTENDED AND CAPPED OFF 1.0m BELOW THE FINISHED GROUND SURFACE.
- . ALL PRIVATE DRAINAGE CONNECTIONS ARE
- 7. LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- I. SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

RE	VISION DETAILS	BY	DATE
1	1 ISSUED FOR INFORMATION		29/11/19


SURVEYED	WOODS	WOODS Ltd	FRD
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	RMWAT
DRAWN	SK	AUCKLAND 1023	STORY
CHECKED	AC	09 308 9229	05.50
APPROVED	MB	WOODS.CO.NZ	2



ARRAN HILL PRECINCT 5 STAGE 5

STORMWATER AS-BUILT SHEET 7 OF 7

STATUS	AS-BUILT	REV	C:\3.7505
SCALE	1:500 @ A3	1	No. K:
COUNCIL	AUCKLAND COUNCIL	-	n H
DWG NO	37505-05-303-AB		Docum





LEGEND

NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

EXISTING SANITARY SEWER

STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mmØ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- . ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mm@
- 6. LOT BOUNDARIES ARE SUBJECT TO FINAL
- SURVEY.

 7. ALL PIPE AND MH DIAMETERS ARE INTERNAL AND SHOWN IN MILLIMETERS UNLESS
- OTHERWISE SPECIFIED.

 8. ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF PROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19

SURVEYED	WOODS	WOODS Ltd	١.,
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	ER.DWG
DRAWN	SK	AUCKLAND 1023	SEWER
CHECKED	AC	09 308 9229	05 SE
APPROVED	MB	WOODS.CO.NZ	22




ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT OVERALL LAYOUT SHEET 1 OF 7

STATUS	AS BUILT	REV	3750
SCALE	1:2000 @ A3	1	No. K
COUNCIL	AUCKLAND COUNCIL	'	ž
DWG NO	37505-05-400-AB		Docume

ment No. K\37505 - ARRAN HILL PRECINCT 5 STAGE S\PROJECT E





NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

EXISTING SANITARY SEWER

- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mm@ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- 3. ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKELLIED
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- LOT BOUNDARIES ARE SUBJECT TO FINAL
- ALL PIPE AND MH DIAMETERS ARE INTERNAL AND SHOWN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERTIEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

RE	VISION DETAILS	BY	DATE
1 ISSUED FOR INFORMATION		KR	29/11/19


SURVEYED	WOODS	WOODS Ltd	١,,
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	DWC
DRAWN	SK	AUCKLAND 1023	SEWER.D
CHECKED	AC	09 308 9229	05_SE
APPROVED	MB	WOODS CO NZ	2



ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 2 OF 7

STATUS	AS BUILT	REV
SCALE	1:500 @ A3	1
COUNCIL	AUCKLAND COUNCIL	'
DWG NO	37505-05-401-AB	





LEGEND

NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

———

EXISTING SANITARY SEWER

STAGE BOUNDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mmØ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- . ALL PIPE AND MH DIAMETERS ARE INTERNAL, AND SHOWN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MICHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

RE	VISION DETAILS	BY	DATE
1	1 ISSUED FOR INFORMATION		29/11/19


SURVEYED	WOODS	WOODS Ltd	١.
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	100
DRAWN	SK	AUCKLAND 1023	1
CHECKED	AC	09 308 9229	10
APPROVED	MB	WOODS.CO.NZ	1



ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 3 OF 7

			. 10
STATUS	AS BUILT	REV	C\37505
SCALE	1:500 @ A3	1	Vo. K
COUNCIL	AUCKLAND COUNCIL	'	Ž
DWG NO	37505-05-402-AB		Docume





LEGEND

NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

EXISTING SANITARY SEWER

STAGE BOLINDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mmØ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- 6. LOT BOUNDARIES ARE SUBJECT TO FINAL
- SURVEY.

 '. ALL PIPE AND MH DIAMETERS ARE INTERNAL AND SHOWN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- ASBUILT DATA HAS BEEN SOURCED FROM A
 COMBINATION OF WOODS SURVEY MEASURED
 DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

REVISION DETAILS			DATE
1	ISSUED FOR INFORMATION	KR	29/11/19


SURVEYED	WOODS	WOODS Ltd	١.,
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	ER.DWG
DRAWN	SK	AUCKLAND 1023	SEWER
CHECKED	AC	09 308 9229	05 SE
APPROVED	MB	WOODS CO NZ	120



ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 4 OF 7

			'n
STATUS	AS BUILT	REV	<\37505
SCALE	1:500 @ A3	1	I -
COUNCIL	AUCKLAND COUNCIL	'	ant No.
DWG NO	37505-05-403-AB		Docume





LEGEND

NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

EXISTING SANITARY SEWER

STAGE POLINDARY

NOTES

- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mmØ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- LOT BOUNDARIES ARE SUBJECT TO FINAL
 SUBJECT
- SURVEY.

 7. ALL PIPE AND MH DIAMETERS ARE INTERNAL AND SHOWN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- ASBUILT DATA HAS BEEN SOURCED FROM A
 COMBINATION OF WOODS SURVEY MEASURED
 DATA AND CONTRACTOR RECEIVED DATA.
- 9. SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF PROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19

SURVEYED	WOODS	WOODS Ltd	١.,
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	ER.DWG
DRAWN	SK	AUCKLAND 1023	SEWER
CHECKED	AC	09 308 9229	05 SE
APPROVED	MB	WOODS.CO.NZ	25




ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 5 OF 7

STATUS	AS BUILT	REV	C:\37505
SCALE	1:500 @ A3	1	No. K
COUNCIL	AUCKLAND COUNCIL	'	ž
DWG NO	37505-05-404-AB		Docume

Document No. K3/37505 - ARRAN HILL PRECINCT 5 STA





NEW SANITARY SEWER MANHOLE

EXISTING SANITARY SEWER



- ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- 2 ALL SANITARY SEWER LINES ARE 150mm@ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- 3. ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS
- 4. ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKELLED
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- 6. LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- ALL PIPE AND MH DIAMETERS ARE INTERNAL, AND SHOWN IN MILLIMETERS UNLESS OTHERWISE SPECIFIED.
- 8. ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE

RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19


	SURVEYED	WOODS	WOODS Ltd	١,
	DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	DIANG.
	DRAWN	SK	AUCKLAND 1023	CENACED
	CHECKED	AC	09 308 9229	20 20
ı	APPROVED	MB	WOODS.CO.NZ	ä



ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 6 OF 7

STATUS	AS BUILT	REV	37505
SCALE	1:500 @ A3	1	0. K
COUNCIL	AUCKLAND COUNCIL		ž
DWG NO	37505-05-405-AB		Docum





LEGEND

NEW SANITARY SEWER MANHOLE

NEW SANITARY SEWER

EXISTING SANITARY SEWER

STAGE BOUNDARY

NOTES

- . ALL WORKS AND MATERIALS COMPLY WITH AUCKLAND COUNCIL & WATERCARE SERVICES LTD STANDARDS FOR ENGINEERING DESIGN AND CONSTRUCTION.
- ALL SANITARY SEWER LINES ARE 150mmØ uPVC CLASS SN16 UNLESS STATED OTHERWISE.
- 3. ALL PIPE BEDDING COMPLIES WITH WATERCARE STANDARDS.
- ALL PIPE CROSSINGS UNDER ROADS AND ACCESSWAYS HAVE BEEN HARDFILL BACKFILLED.
- 5. ALL PRIVATE LOT CONNECTIONS ARE 100mmØ
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.

 7. ALL PIPE AND MH DIAMETERS ARE INTERNAL,
- AND SHOWN IN MILLIMETERS UNLESS
 OTHERWISE SPECIFIED.

 ASBUILT DATA HAS BEEN SOURCED FROM A
- COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.
- SOME INVERT LEVELS ARE MARK THE LEVELS AT THE ENTRY POINT OF DROP-PIPES INTO THE MH CHAMBER. THESE LEVELS HAVE BEEN CALCULATED FROM OBSERVATIONS TO THE TOP OF THE PIPE.

RE'	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	29/11/19


SURVEYED	WOODS	WOODS Ltd	١,,
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	ER.DWC
DRAWN	SK	AUCKLAND 1023	SEWER
CHECKED	AC	09 308 9229	05_SE
APPROVED	MB	WOODS CO N7	52



ARRAN HILL PRECINCT 5 STAGE 5

WASTEWATER AS-BUILT SHEET 7 OF 7

STATUS	AS BUILT	REV	3750
SCALE	1:500 @ A3	1	, K
COUNCIL	AUCKLAND COUNCIL	'	ant No
DWG NO	37505-05-406-AB		Docume





- ALL WORK AND MATERIALS COMPLIES WITH AC STANDARD FOR ENGINEERING DESIGN AND CONSTRUCTION.
- PIPE BEDDING COMPLIES WITH AC STD DETAIL DRAWING 18000 SHEET 4.4 UNLESS OTHERWISE NOTED.
- WATERMAINS ARE AN AVERAGE 0.6m BELOW GROUND IN BERMS AND 0.9m BELOW GROUND UNDER ROADS. HARDFILL BACKFILLED BENEATH ROAD CROSSINGS.
- ALL PIPES ARE LAID APPROXIMATELY 1.4m
 OFF THE ROAD RESERVE BOUNDARY IN THE
 COMMON SERVICE TRENCH.
- PIPE SIZES SHOWN ARE EXTERNAL DIAMETER.
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.



VISION DETAILS	BY	DATE
ISSUED FOR INFORMATION	KR	05/12/19
	VISION DETAILS ISSUED FOR INFORMATION	


SURVEYED	WOODS	WOODS Ltd	FRMAIN DW
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	MAN.
DRAWN	SK	AUCKLAND 1023	WATER
CHECKED	AC	09 308 9229	N 50
APPROVED	MB	WOODS.CO.NZ	25



MILLWATER PRECINCT 5 OREWA WEST STAGE 5

WATERMAIN AS-BUILT SHEET 1 OF 3

STATUS	AS-BUILT	REV
SCALE	1:1500 @ A3	1
COUNCIL	AUCKLAND COUNCIL	'
DWG NO	37505-05-600-AB	





- ALL WORK AND MATERIALS COMPLIES WITH AC STANDARD FOR ENGINEERING DESIGN AND CONSTRUCTION.
- PIPE BEDDING COMPLIES WITH AC STD DETAIL DRAWING 18000 SHEET 4.4 UNLESS OTHERWISE NOTED
- 3. WATERMAINS ARE AN AVERAGE 0.6m BELOW GROUND IN BERMS AND 0.9m BELOW GROUND UNDER ROADS, HARDFILL BACKFILLED BENEATH ROAD CROSSINGS.
- ALL PIPES ARE LAID APPROXIMATELY 1.4m
 OFF THE ROAD RESERVE BOUNDARY IN THE COMMON SERVICE TRENCH.
- 5. PIPE SIZES SHOWN ARE EXTERNAL DIAMETER
- 6. LOT BOUNDARIES ARE SUBJECT TO FINAL
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.



RE	VISION DETAILS	BY	DATE
1	ISSUED FOR INFORMATION	KR	05/12/19


SURVEYED	WOODS	WOODS Ltd	l
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	l
DRAWN	SK	AUCKLAND 1023	l
CHECKED	AC	09 308 9229	l
APPROVED	MB	WOODS.CO.NZ	l



MILLWATER PRECINCT 5 OREWA WEST STAGE 5

WATERMAIN AS-BUILT SHEET 2 OF 3

STATUS	AS-BUILT	REV
SCALE	1:750 @ A3	1
COUNCIL	AUCKLAND COUNCIL	'
DWG NO	37505-05-601-AB	





- ALL WORK AND MATERIALS COMPLIES WITH AC STANDARD FOR ENGINEERING DESIGN AND CONSTRUCTION.
- PIPE BEDDING COMPLIES WITH AC STD DETAIL DRAWING 18000 SHEET 4.4 UNLESS OTHERWISE NOTED.
- 3. WATERMAINS ARE AN AVERAGE 0.6m BELOW GROUND IN BERMS AND 0.9m BELOW GROUND UNDER ROADS, HARDFILL BACKFILLED BENEATH ROAD CROSSINGS.
- ALL PIPES ARE LAID APPROXIMATELY 1.4m OFF THE ROAD RESERVE BOUNDARY IN THE COMMON SERVICE TRENCH.
- PIPE SIZES SHOWN ARE EXTERNAL DIAMETER.
- LOT BOUNDARIES ARE SUBJECT TO FINAL SURVEY.
- ASBUILT DATA HAS BEEN SOURCED FROM A COMBINATION OF WOODS SURVEY MEASURED DATA AND CONTRACTOR RECEIVED DATA.



	RE'	VISION DETAILS	BY	DATE	
	1	ISSUED FOR INFORMATION	KR	05/12/19	
	_				٠

SURVEYED	WOODS	WOODS Ltd	
DESIGNED	MB	LEVEL 1 BUILDING B, 8 NUGENT STREET, GRAFTON	ERMAIN
DRAWN	SK	AUCKLAND 1023	WATER
CHECKED	AC	09 308 9229	05_W
APPROVED	MB	WOODS.CO.NZ	55



MILLWATER PRECINCT 5 OREWA WEST STAGE 5

WATERMAIN AS-BUILT SHEET 3 OF 3

			. 40
STATUS	AS-BUILT	REV	37505
SCALE	1:750 @ A3	1	Š.
COUNCIL	AUCKLAND COUNCIL	'	au t
DWG NO	37505-05-602-AB		Docume

Pent No. K\37505 - ARRAN HILL PRECINCT 5 STAGE S\PROJECT DATA\DE